Spangdahlem Air Base, Germany


2016 Drinking Water Quality Report

Special points of interest:

- Where our drinking water comes from
- Who ensures our drinking water is safe
- What standards are used for drinking water compliance
- Potential contamination sources
- The Earth's water cycle
- Contact names and numbers for questions or concerns

The Spangdahlem Air Base Drinking Water is Safe!

Aerospace Medicine Squadron, Bioenvironmental Engineering Flight, informs consumers annually about the quality of their drinking water from the previous year (2016). Spangdahlem AB has five groundwater wells, two water treatment plants, and four storage reservoirs which supply our potable water system. All five wells extract water from the same partially confined aquifer which meets the demand requirements for the entire installation. The water treatment plants use a filtration system followed by chlorination for disinfection. Fluoride is also added to the water during this process to help maintain healthy teeth. The water treatment plant personnel, along with the Bioenvironmental Engineering Flight, ensure compliance with Final Governing Standards for Germany (FGS-G). The FGS-G standards are a compilation of the most stringent standards published within the European Union, United States Environmental Protection Agency and the Safe Drinking Water Act.



Water storage in the atmosphere Condensation Subimation Evapotranspiration Evaporation Snowmolt runoff to streams Streamflow Learning Freshwater storage in oceans Water storage in oceans

The Water Cycle

For many of us, water is something we take for granted; we fail to realize how important water really is. It is the blood that must continually be moving to ensure our planet's survival. Water is constantly being cycled between the atmosphere, the ocean and the land. This cycling is a very important process that helps sustain life on Earth. As water evaporates, vapors rise and condense into clouds. The clouds move over the land and precipitation falls in the form of rain, ice or snow. Water fills streams and rivers, and eventually flows back into the oceans where evaporation starts the process again. Water states (solid, liquid or gas) are determined primarily by temperature. Although water continuously changes state from solid to liquid to gas, the amount of water on Earth remains constant. However, not all water can be treated to produce potable (drinkable) water. Good water conservation practices are key to conserving the treatment efforts and drinkable water that we have available. Therefore, consider reduction of daily drinking water consumption to a minimum amount needed.

What Constituents are Analyzed?

Contaminants that may be present in source water before we treat it include:

- *Microbial contaminants*, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife.
- Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from
 urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, and
 mining or farming.
- Pesticides and herbicides, which may come from a variety of sources such as agricultural and residential uses.
- Radioactive contaminants, which are naturally occurring.
- Organic chemical contaminants, includes synthetic and volatile organic chemicals, are byproducts of industrial work and petroleum production, also come from gas stations, urban storm water runoff, and septic systems.

Acronyms and Definitions Used in This Report Max Contaminant Limit (MCL) - highest level of a contaminant that is allowed in drinking water.

Action Level (AL) - a set level requiring modifications to the water system if exceeded

Milligrams per Liter (mg/L) - amount of contaminant per liter of water.

Picocuries per Liter (pCi/L) - amount of contaminant per liter of water.

Micrograms per Liter (µg/L) - amount of contaminant per liter of water.

The tables below list all the drinking water contaminants that we sampled during the 2016 calendar year. The presence of these contaminants in the water does not necessarily indicate the water poses a health risk. Unless otherwise noted, the data presented in these tables are from testing done January 1 – December 31, 2016. The Environmental Protection Agency (EPA) requirement is to monitor for certain contaminants less than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year.

Table 1: Microbiological Contaminants

Contaminant of Concern	Result	Max Contaminant Limit [MCL]	Within Regulatory limits?	
Total Coliform Bacteria	Non-Detect	1/month	V	

Note: Total Coliform Bacteria MCL: 1 positive monthly sample (in systems that collect <40 samples/month). Spangdahlem is required to take at least 10 samples a month according to the FGS-G. Spangdahlem collects 20 water samples every month to include locations at Bitburg.

Note: Coliforms are bacteria that are naturally present in the environment. Their presence in water can indicate the water supply may be vulnerable to contamination by more harmful pathogenic organisms (Disease Causing Organisms).

Note: Non-Detect means the water had been sampled and analyzed for these contaminants, and the contaminants have not been found. Contact Bioenvironmental Engineering for specific limits of detection for individual contaminants.

Table 2: Synthetic Organic Compounds - Other Organics

Contaminant of Concern	Result	Max Contaminant Limit [MCL]	Within Regulatory limits?
Di(2-ethylhexyl)adipate	Non-Detect	0.4 mg/L	٧
Di(2-ethylhexyl)phthalate	Non-Detect	0.006 mg/L	√
Hexachlorobenzene	Non-Detect	0.001 mg/L	٧
Hexachlorocyclopentadiene	Non-Detect	0.05 mg/L	√
PCB as Aroclor	Non-Detect	0.0005 mg/L	√
2,3,7,8-TetraCDD {2,3,7,8-TCDD}	Non-Detect	Not Regulated	N/A

Note: Synthetic Organic Compounds include chemicals that come from agriculture, urban storm water runoff, or industrial activities.

Table 3: Inorganic Chemicals (including Metals)

Contaminant of Concern	Result	Max Contaminan Limit [MCL]	Within Regulatory limits?
Antimony	Non-Detect	0.006 mg/L	٧
Arsenic	Non-Detect	0.01 mg/L	√
Barium	0.029 mg/L	2 mg/L	√
Beryllium	Non-Detect	0.004 mg/L	٧
Cadmium	Non-Detect	0.005 mg/L	√
Chromium	Non-Detect	0.1 mg/L	√
Cyanide (CN), free	Non-Detect	0.2 mg/L	√
Fluoride {F}	1 mg/L	4 mg/L	√
Mercury	Non-Detect	0.002 mg/L	√
Nickel	Non-Detect	0.1 mg/L	√
Selenium	Non-Detect	0.05 mg/L	√
Sodium	5.3 mg/L	Not Regulated	N/A
Thallium	Non-Detect	0.002 mg/L	٧
Nitrate {NO3}, as N	Non-Detect	10 mg/L	√
Nitrite {NO2}, as N	Non-Detect	1 mg/L	٧
Total Nitrate/Nitrite, as N	0.5 mg/L	10 mg/L	V

Note: Inorganic Compounds include salts and metals, occur naturally and from urban storm water runoff.

Note: Non-Detect means the water had been sampled and analyzed for these contaminants, and the contaminants have not been found. Contact Bioenvironmental Engineering for specific limits of detection for individual contaminants.

Table 4: Synthetic Organic Compounds - Polycyclic Aromatic Hydrocarbons (PAH)

Contaminant of Concern	Result	Max Contaminant Limit [MCL]	Within Regulatory limits?
Acenaphthene	Non-Detect	Not Regulated	N/A
Acenaphthylene	Non-Detect	Not Regulated	N/A
Anthracene	Non-Detect	Not Regulated	N/A
Benz[a]anthracene	Non-Detect	Not Regulated	N/A
Benzo[a]pyrene	Non-Detect	0.0002 mg/L	√
Benzo[b]fluoranthene	Non-Detect	Not Regulated	N/A
Benzo[g,h,i]perylene	Non-Detect	Not Regulated	N/A
Benzo[k]fluoranthene	Non-Detect	Not Regulated	N/A
Chrysene	Non-Detect	Not Regulated	N/A
Dibenz[a,h]anthracene	Non-Detect	Not Regulated	N/A
Fluoranthene	Non-Detect	Not Regulated	N/A
Fluorene	0.00009 mg/L	Not Regulated	N/A
Naphthalene	Non-Detect	Not Regulated	N/A
Phenanthrene	0.00003 mg/L	Not Regulated	N/A
Indeno[1,2,3-cd]pyrene	Non-Detect	Not Regulated	N/A

Note: PAHs are found naturally and also man-made. PAHs are created when products such as coal, oil, gas and garbage are burned but the burning process is not completed.

Table 5: Synthetic Organic Compounds – Pesticides and Herbicides

Contaminant of Concern	Result	Max Contaminant Limit [MCL]		Within Regulatory limits?
Aldicarb	Non-Detect	0.003	mg/L	√
Aldicarb sulfone	Non-Detect	0.003	mg/L	٧
Aldicarb sulfoxide	Non-Detect	0.004	mg/L	٧
Alachlor	Non-Detect	0.002	mg/L	٧
Atrazine	Non-Detect	0.003	mg/L	٧
Carbofuran	Non-Detect	0.04	mg/L	٧
Chlordane, technical	Non-Detect	0.002	mg/L	√
Dalapon	Non-Detect	0.2	mg/L	V
Dinoseb	Non-Detect	0.007	mg/L	٧
1,2-Dibromoethane {Ethylene Dibromide [EDB]}	Non-Detect	0.00005	mg/L	٧
1,2-Dibromo-3-chloropropane {DBCP}	Non-Detect	0.0002	mg/L	٧
Diquat	Non-Detect	0.02	mg/L	٧
Endrin	Non-Detect	0.002	mg/L	٧
Endothall	Non-Detect	0.1	mg/L	٧
Glyphosate	Non-Detect	0.7	mg/L	٧
Heptachlor	Non-Detect	0.0004	mg/L	٧
Heptachlor epoxide	Non-Detect	0.0002	mg/L	٧
gamma-BHC {Lindane}	Non-Detect	0.0002	mg/L	٧
Methoxychlor	Non-Detect	0.04	mg/L	٧
Oxamyl {Vydate}	Non-Detect	0.2	mg/L	٧
Paraquat	Non-Detect	Not Re	gulated	N/A
Picloram	Non-Detect	0.5	mg/L	٧
Pentachlorophenol	Non-Detect	0.001	mg/L	٧
Simazine	Non-Detect	0.004	mg/L	٧
Toxaphene	Non-Detect	0.003	mg/L	٧
2,4-D	Non-Detect	0.07	mg/L	٧
2,4,5-TP {Silvex}	Non-Detect	0.05	mg/L	٧

Note: Synthetic Organic Compounds include herbicides, pesticides, and other chemicals that come from agriculture, urban storm water runoff, or industrial activities.

Note: Non-Detect means the water had been sampled and analyzed for these contaminants, and the contaminants have not been found. Contact Bioenvironmental Engineering for specific limits of detection for individual contaminants.

Table 6: Disinfection Byproducts

Contaminant of Concern	Result	Max Contaminant Limit [MCL]	Within regulatory limits?
Trihalomethanes, Total {TTHM}	0.0074 mg/L	0.08 mg/L	٧
Haloacetic Acids (HAA5)	Non-detect	Non Regulated	N/A

Note: Disinfection Byproducts are the reaction of chlorine with organic matter present in water that had been treated.



Contaminant of Concern	Result	Max Contaminant Limit [MCL]	Within regulatory limits?
Gross Alpha Activity (total)	0.81	15 pCi/L	٧
Gross Beta Activity (total)	1.2 pCi/L	Not Regulated	N/A
Radium-226 Activity	1.55 pCi/L	Not Regulated	N/A
Radium-228 Activity	0.43 pCi/L	Not Regulated	N/A
Uranium	Non-Detect	0.03 mg/L	V

Note: Radiological contaminants such as Uranium and Radium are naturally occurring

Note: Non-Detect means the water had been sampled and analyzed for these contaminants, and the contaminants have not been found. Contact Bioenvironmental Engineering for specific limits of detection for individual contaminants.

Table 8: Lead

Contaminant of Concern	Result	Action Level [AL]	Within regulatory limits?
Lead	0.0065 mg/L	0.015 mg/L	√

Note: The 90th percentile sample is required by the EPA to be compared to the Action Level for Lead samples. This is within the FGS-G and EPA Lead and Copper Rule requirement that 90% of total samples for lead are below the Action Level.

Table 9: Volatile Organic Compounds

Contaminant of Concern	Result	Max Contaminant Limit [MCL]		Within Regulatory limits?
Benzene	Non-Detect	0.005	mg/L	٧
Carbon tetrachloride	Non-Detect	0.005	mg/L	٧
Chlorobenzene	Non-Detect	0.1	mg/L	٧
1,2-Dichlorobenzene	Non-Detect	0.6	mg/L	٧
1,4-Dichlorobenzene	Non-Detect	0.075	mg/L	٧
1,2-Dichloroethane	Non-Detect	0.005	mg/L	٧
1,1-Dichloroethene	Non-Detect	0.007	mg/L	٧
cis-1,2-Dichloroethane	Non-Detect	0.07	mg/L	٧
trans-1,2-Dichloroethane	Non-Detect	0.1	mg/L	٧
1,2-Dichloropropane	Non-Detect	0.005	mg/L	√
Ethylbenzene	Non-Detect	0.7	mg/L	√
Methylene chloride	Non-Detect	0.005	mg/L	√
Styrene	Non-Detect	0.1	mg/L	√
Tetrachloroethene {PCE}	Non-Detect	0.005	mg/L	٧
Toluene	Non-Detect	1	mg/L	٧
1,2,4-Trichlorobenzene	Non-Detect	0.07	mg/L	٧
1,1,1-Trichloroethane	Non-Detect	0.2	mg/L	٧
1,1,2-Trichloroethane	Non-Detect	0.005	mg/L	٧
Trichloroethene {TCE}	Non-Detect	0.005	mg/L	٧
Vinyl chloride	Non-Detect	0.002	mg/L	٧
Xylene, total	Non-Detect	10	mg/L	٧

Note: Volatile Organic Compounds are those that can easily become vapors or gases

Lead in Drinking Water

Lead levels on Spangdahlem are very low and cause no risk to health. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Spangdahlem is required, per FGS-G to use only lead-free solder, flux, and fittings in the installation or repair of water systems and plumbing systems for drinking water. Small traces of lead may still be present in the above mentioned components; therefore, lead samples are taken to ensure drinking water safety. Elevated levels of lead can cause health problems, especially for pregnant women and young children. Water that has been sitting in pipes for long periods can collect contaminants like lead; so, though this risk is already very small, you can further minimize the potential for lead exposure by running your tap for a few seconds before using water for drinking or cooking, and only utilizing cold water from your faucets.



SrA Bruce Moore from Bioenvironmental Engineering analyzes a bacteriological water sample.

How you can help conserve water

- Turn off the faucet in your bathroom while you brush your teeth.
- Take shorter showers.
- Don't let the water run constantly while you're washing or rinsing dishes.
- Fill a pitcher with tap water and put it in the fridge, rather than running the water every time you want a cold drink.
- Clean sidewalks and driveways with a broom—not the water hose.
- Water your lawn in the early morning to avoid rapid evaporation.
- Have dripping faucets repaired as soon as possible.

Immuno-compromised persons

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons such as, persons with cancer undergoing chemotherapy, persons who undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk. The Environmental Final Governing Standards for Germany guidelines are designed to reduce the risk of infections by possible microbial contaminants. 52 MDG Bioenvironmental Engineering regularly tests for microbial contamination continuous water safety. ensure compromised individuals with concerns should seek advice from their healthcare providers.

Contact information:

We are available to answer any questions or concerns you may have. If you would like additional copies of this report, please contact Bioenvironmental Engineering (**SSgt Chloe Anthony or SrA Daniela Diosdado Fuentes** DSN 452-8348).

Information in deutscher Sprache erhältlich bei der Umwelt-Abteilung. Tel: 452-7257 (Mr. Franz Steffes oder Mr. Christian Thurner).